



Cox Sales Company
341 Reserve Avenue S.W.
Roanoke, Virginia 24016
Phone: (540)345-2636
Fax: (540)342-8684
E-mail: coxsalescompany@glue4you.com
<http://www.glue4you.com>

Thank you for your recent inquiry.

Cox Sales Company is an industrial adhesive supplier. As an industrial supplier, we often receive inquiries requesting information on our products such as data sheets, catalogs, price list and other pertinent information. These requests are usually not specific enough for us to respond properly. In an effort to help you, please complete the questionnaire below. This will allow us to recommend an appropriate adhesive system specifically for your particular applications. Our international efforts are targeted specifically to customers requiring a specific product for a specific application. Prices are offered based on volume and by formal quotation only in the event you already know the product you wish to purchase. Please insert that information in the appropriate space in the questionnaire and we will quote based on the information given. Please fax or mail completed forms to our office.

We appreciate your business and the opportunity to serve you.

Contact Date: _____ Response Dates: _____

Company Information:

Individuals Name: _____

Company Name: _____

Address: _____

City: _____ State: _____ Country: _____ Zip: _____

Telephone: _____ Fax: _____

E-Mail: _____ Other: _____

Description of Application:

(Provide sketch if possible)

Bonded Sealed Coated

Application Specifics:

Substrates to be Bonded: _____ TO _____
Be exact (example: Nitrile Rubber to cold roll steel)

End Product _____

Uncured Handling Requirements:

Viscosity _____ cps Thixotropic: _____ Yes ___ No ___

Flow Needs _____

Pot Life _____

Gram Mass _____ Units Per Hour _____

Potting Mass _____ Approximate Dimensions _____

Performance Parameters _____

Major Approval Criteria _____

Shock/Cycling _____

Other _____

Cured Requirements:

Hardness _____ (EXAMPLE: SHORE "A" 85)

Chemical Resistance _____

Thermal Conductivity _____

Bond Strength _____ Tensil Strength _____

Peel Strength _____ (All of these in Pounds per square inch, psi)

Temperature Range: _____ °F to _____ °F

Continuous Intermittent

Exposed To:

Outdoor Weathering Yes No

Solvents Yes No

Chemicals Yes No

Abrasion Yes No

Oils/Fuels Yes No

Continuous Intermittent

Perferred Method of Application:

Brush Spray Roll Coat

Trowel Other

Other Requirements or Appearance Considerations:

(Color, Odor, Flammability, etc.)

Requirements

Is a two-part adhesive acceptable? Yes No

Has a bond strength requirement been established? Yes No

If Yes: Shear _____ (psi@room temperature)

Peel _____ (psi@room temperature)

Must the adhesive or the product meet a specification? Yes No

Usage:

Is this operation new? Yes No

Are you presently in production? Yes No

Estimate adhesive usage:

Per month _____ pints quarts gallons drums

Source of Materials:

Currently buy from a manufacturer Yes No

Currently buy from a distributor Yes No

Current Supplier _____

Product Currently being used _____

Price Currently being paid

 (denote units: Pints, quarts, gallons, liters, etc.) (example: \$25.00 per gallon)

Comments: